

# Owner's Manual



(OLED Monitor)

Please read this manual carefully before operating your set and retain it for future reference.

32GS95UE 32GS95UX

# **TABLE OF CONTENTS**

USING THE MONITOR	14
- Connecting to a PC	14
HDMI Connection	14
DisplayPort Connection	15
- Connecting AV Devices	15
HDMI Connection	15
- Connecting Peripherals	16
USB Device connection	16
Headset Connection	16
USER SETTINGS	17
- Activating the Main Menu	17
Main Menu Features	17
Menu Settings	18
[Game Adjust]	18
[Picture Adjust]	19
[Sound]	20
[Input]	
[General]	
- Important Information for Preventing Image Retention	
Examples of Images that may Cause Image Retention	
Recommendations For Preventing Image Retention	
Safety precautions for prolonged use	
/ 1	

PRODUCT SPECIFICATION	23
- Support Mode	24
(Preset Mode, HDMI)	24
(Preset Mode, DisplayPort)	
HDMI Timing (Video)	26
TROUBLESHOOTING	27
LICENSE	28
OPEN SOURCE SOFTWARE NOTICE INFORMATION	29
BEEP GUIDE	30
LIMITED WARRANTY (USA)	33
LIMITED WARRANTY (CANADA)	35

## ASSEMBLING AND PREPARING

## **!** CAUTION

- · Always use genuine LG components to ensure safety and product performance.
- The product warranty will not cover damage or injury caused by the use of unauthorized components.
- It is recommended that use the supplied components.
- The product figures and screen displays used in this manual are examples to help consumers use the product and may differ from the actual product.
- Do not apply foreign substances (oils, lubricants, etc.) to the screw parts when assembling the product.
   (Doing so may damage the product.)
- Applying excessive force when tightening screws may cause damage to the monitor. Damage caused in this
  way will not be covered by the product warranty.
- Do not carry the monitor upside down by just holding the base. This may cause the monitor to fall off the stand and could result in personal injury.
- When lifting or moving the monitor, do not touch the monitor screen. The force applied to the monitor screen
  may cause damage to it.
- For wave pattern on appearance, unlike the general method of coating, it's applied to added glittering
  material in raw material. With no peeled-off appearance, it has good durability. Please use it with confidence
  because there is no problem in using the product at all.




- The components may look different from those illustrated here.
- Without prior notice, all product information and specifications contained in this manual are subject to change to improve the performance of the product.
- To purchase optional accessories, visit an electronics store or an online shopping site, or contact the retailer from which you purchased the product.
- The power cord provided may differ depending upon the region.

## Installing

#### Moving and Lifting the Monitor

When moving or lifting the monitor, follow these instructions to prevent the monitor from being scratched or damaged and to ensure safe transportation, regardless of its shape or size.

- Place the monitor in the original box or packing material before attempting to move it.
- Before moving or lifting the monitor, disconnect the power cord and all other cables.
- Hold the bottom and side of the monitor frame firmly. Do not hold the panel itself.
- When holding the monitor, the screen should face away from you to prevent it from being scratched.
- When transporting the monitor, do not expose the monitor to shock or excessive vibration.
- When moving the monitor, keep it upright and never turn the monitor on its side or tilt it sideways.






#### **!** CAUTION

- Avoid touching the monitor screen as much as possible.
  - This may result in damage to the screen or some of the pixels used to create images.
- If you use the monitor panel without the stand base, its power button may cause the monitor to become
  unstable and fall, resulting in damage to the monitor or human injury. In addition, this may cause the power
  button to malfunction

## **Installing on a Table**

 Lift the monitor and place it on the table in an upright position. Place the monitor at least 100 mm (3.9 inches) away from the wall to ensure sufficient ventilation.



A: 100 mm (3.9 inches)


## **!** CAUTION

- Unplug the power cord before moving or installing the monitor. There is risk of electric shock.
- Make sure to use the power cord that is provided in the product package and connect it to a grounded power outlet. (Depending on country)

## **Using the Kensington Lock**

For more information on installation and usage, refer to the Kensington lock owner's manual or visit the website at http://www.kensington.com.

Connect the monitor to a table using the Kensington security system cable.






• The Kensington security system is optional. You can obtain optional accessories from most electronics stores.

## Installing on the Wall

tilting wall mounting bracket.

This monitor meets the specifications for the wall mount plate or other compatible devices. Install the monitor at least 100 mm (3.9 inches) away from the wall and leave about 100 mm (3.9 inches) of space at each side of the monitor to ensure sufficient ventilation. Detailed installation instructions can be obtained from your local retail store. Alternatively, please refer to the manual for how to install and set up a



A: 100 mm (3.9 inches)

## **Installing the Wall Mount Plate**

To install the monitor to a wall, attach a wall mounting bracket (optional) to the back of the monitor. Make sure that the wall mounting bracket is securely fixed to the monitor and to the wall.


Wall Mount (mm)	100 X 100 (3.9 x 3.9 inches)
Standard screw	M4 x L10
Number of screws	4
Wall Mount Plate (Optional)	LSW149

#### **NOTE**

- Use the screws specified by VESA standards.
- The wall mount kit includes the installation guide and all necessary parts.
- The wall mounting bracket is optional. You can obtain optional accessories from your local dealer.
- The length of the screw may differ for each wall mounting bracket. If you use screws longer than the standard length, it may damage the inside of the product.
- For more information, please refer to the user manual for the wall mounting bracket.
- Be careful not to apply too much force while mounting the wall mount plate as it may cause damage to the screen.
- Remove the stand before installing the monitor on a wall mount by performing the stand attachment in
  reverse.


#### **!** CAUTION

- Unplug the power cord before moving or installing the monitor to avoid electric shock.
- Installing the monitor on the ceiling or on a slanted wall may result in the monitor falling off, which could lead to injury. Use an authorized LG wall mount and contact the local dealer or qualified personnel.
- To prevent injury, this apparatus must be securely attached to the wall in accordance with the installation instructions
- Applying excessive force when tightening screws may cause damage to the monitor. Damage caused in this
  way will not be covered by the product warranty.
- Use the wall mounting bracket and screws that conform to VESA standards. Damage caused by the use or misuse of inappropriate components will not be covered by the product warranty.
- When measured from the back of the monitor, the length of each installed screw must be 8 mm (0.3 inches)
  or less.



- A: Wall Mount Plate
- B: Back of the Monitor
- C: Standard screw
- D: Max. 8 mm (0.3 inches)

# **Product and Button Description**




- A: Joystick Button
- B: [Dual-Mode] Button

## How to Use the Joystick Button

You can easily control the functions of the monitor by pressing the joystick button or moving it left/right/up/ down with your finger.

#### **Basic Functions**



**A** (Power on): Press the joystick button once with your finger to turn on the monitor.


**B** (Power off): Press and hold the joystick button once more than 5 seconds with your finger to turn off the monitor.

**C** (Volume control): You can control the volume by moving the joystick button left/right.

**D** Enters the [Accessibility] menu.

## **Adjusting the Stand Height**

- Place the monitor mounted on the stand base in an upright position.
- Handle the monitor with both hands for safety.





#### **WARNING**

• When adjusting the screen height, do not place your hand on the stand body to avoid injury to your fingers.

## **Adjusting the Angle**

- Place the monitor mounted on the stand base in an upright position.
- 2 Adjust the angle of the screen.

The angle of the screen can be adjusted forward or backward from -10° to 15° for a comfortable viewing experience. And you can also adjust the angle of the screen by 10 degrees to the left or to the right.



#### **WARNING**

- To avoid injury to the fingers when adjusting the screen, do not hold the lower part of the monitor's frame as illustrated below.
- Be careful not to touch or press the screen area when adjusting the angle of the monitor.










#### **Pivot Feature**


The pivot feature allows the monitor to rotate 90° clockwise.

#### **WARNING**


- When using the Pivot function, do not rotate the monitor too fast or with excessive force. The table may be scratched by contact with the monitor's head.
  - The head may come in contact with the stand and scratch the base.
  - Be careful as you may injure your finger by jamming it between the head and the stand.



1 Raise the monitor up to the maximum height.



2 Adjust the angle of the monitor in the direction of the arrow as shown in the figure.



3 Rotate the monitor clockwise as shown in the figure.



4 Complete the installation by rotating the monitor 90° as shown in the figure.



### **NOTE**

- Auto Pivot feature of the display is not supported.
- The screen can be rotated easily using the screen pivot shortcut key provided with your Windows operating
  system. Note that some Windows versions and some graphics card drivers may use different settings for the
  screen pivot key or may not support the pivot key at all.

# **Supported Drivers and Software**

You can download and install the latest version from the LGE website (www.lg.com).

- Monitor Driver / On Screen Control / LG Calibration Studio / Dual Controller

# **USING THE MONITOR**

• Illustrations in this manual may differ from the actual product.

Press the joystick button, go to [Settings] > [Input], and then select the input option.

#### **!** CAUTION

- If you use generic cables not certified by LG, the screen may not display or there may be image noises.
- Do not press the screen for a prolonged time. This may cause image distortion.
- Do not display a still image on the screen for a prolonged time. This may cause image retention. Use a PC screensaver if possible.
- When connecting the power cord to the outlet, use a grounded (3-hole) power strip or a grounded power outlet. (Depending on country)
- The monitor may flicker when turned on in an area where the temperature is low. This is normal.
- Sometimes red, green, or blue spots may appear on the screen. This is normal.
- Make sure to use the supplied cable of the product. Otherwise, this may cause the device to malfunction.
- When using the monitor for the first time or reusing it after long-term storage, execute [OLED Image Cleaning] before use. (Go to [Settings] > [General] > [OLED Image Cleaning])

## Connecting to a PC

- This monitor supports the Plug and Play\* feature.
- \* Plug and Play: A feature that allows you to add a device to your computer without having to reconfigure anything or install any manual drivers.

#### **HDMI Connection**

Transmits digital video and audio signals from your PC to the monitor.



- Using a DVI to HDMI / DP (DisplayPort) to HDMI cable may cause compatibility issues.
- Use a certified cable with the HDMI logo attached. If you do not use a certified HDMI cable, the screen may not display or a connection error may occur.
- · Recommended HDMI cable types
  - Ultra High Speed HDMI®/™ cable
  - Ultra High Speed HDMI $^{\otimes}$ /™ cable with Ethernet

## **DisplayPort Connection**

Transmits digital video and audio signals from your PC to the monitor.



- There may be no video or audio output depending on the DP (DisplayPort) version of the PC.
- If you are using a Mini DisplayPort output graphics card, use a Mini DP to DP (Mini DisplayPort to DisplayPort) cable or gender that supports DisplayPort1.4. (Sold separately)

## **Connecting AV Devices**

#### **HDMI Connection**

HDMI transmits digital video and audio signals from your AV device to the monitor.



- Using a DVI to HDMI / DP (DisplayPort) to HDMI cable may cause compatibility issues.
- Use a certified cable with the HDMI logo attached. If you do not use a certified HDMI cable, the screen may not display or a connection error may occur.
- Recommended HDMI cable types
  - Ultra High Speed HDMI®/™ cable
- Ultra High Speed HDMI®/™ cable with Ethernet

## **Connecting Peripherals**

#### **USB Device connection**

The USB port on the product functions as a USB hub.

To use USB 3.0, connect the A-B type USB 3.0 cable of the product to the PC.

Peripheral devices connected to the USB IN port can be controlled from the PC.

## **NOTE**

- It is recommended you install all Windows Updates to keep your Windows up-to-date before connecting to the product for use.
- Peripheral devices are sold separately.
- A keyboard, mouse, or USB device can be connected to the USB port.
- The charging speed may vary depending on the device.

## **!** CAUTION

- Cautions when using a USB device.
  - A USB device with an automatic recognition program installed, or that uses its own driver, may not be recognized.
  - Some USB devices may not be supported or may not work properly.
  - It is recommended to use a USB hub or hard disk drive with power supplied. (If the power supply is not
    adequate, the USB device may not be recognized properly.)

#### **Headset Connection**

Connect peripherals to the monitor via the headset port.



- Peripheral devices are sold separately.
- The microphone works only when the USB port on the monitor is connected to the USB port on the PC.
- Depending on the audio settings of the PC and external device, headset and speaker functions may be limited.



# **USER SETTINGS**



• Your monitor's OSD (On Screen Display) may differ slightly from that shown in this manual.


# **Activating the Main Menu**



- 1 Press the joystick button on the back of the monitor.
- 2 Move the joystick up/down and left/right to set the options.

### **Joystick Button**

#### **Main Menu Features**



Main Menu	Description
A: [Power Off]	Turns off the monitor.
	Sets input mode. (Default)
B: [Input]	You can customize the left (B) of the main menu to access your preferred menu easily. ([Settings] > [General] > [User-defined Key 1])
	Sets the game mode for gaming. (Default)
C: [Game Mode]	You can customize the right (C) of the main menu to access your preferred menu easily. ([Settings] > [General] > [User-defined Key 2])
D: [Exit]	Exit the main menu.
E: [Settings]	Configures the screen settings.

### **Menu Settings**

- 1 To view the OSD menu, press the joystick button at the back of the monitor and then enter the [Settings].
- 2 Move the joystick up/down and left/right to set the options.
- 3 To return to the upper menu or set other menu items, move the joystick to ◀or pressing (إلى) it.









[Input]



[Game Adjust]

[Picture Adjust]

[Sound]

[General]

#### [Game Adjust]

#### [Settings] > [Game Adjust]

- [Game Mode]: you can select picture modes for game display settings.
  - [Gamer 1]/[Gamer 2]: [Gamer 1] and [Gamer 2] picture modes allow you to save two sets of customized display settings, including game-related setup options.
  - [FPS]: This mode is optimized for FPS games. It is suitable for very dark FPS games.
  - [RTS]: This mode is optimized for RTS games.
  - [Vivid]: Optimized the screen for vivid colors.
  - [Reader]: Optimizes the screen for reading documents. (for SDR only)
  - [HDR Effect]: Optimizes the screen for high dynamic range. (for SDR only)
  - [sRGB]: A standard RGB color space for the monitor and printer. (for SDR only)
  - [Color Weakness]: This mode is for users who cannot distinguish between red and green. It enables users
    with color weakness to easily distinguish between the two colors. (for SDR only)
  - [Calibration 1]/[Calibration 2]: Adjusts to the calibrated screen. Please install LG Calibration Studio to run calibration. (for SDR only)

## NOTE

- The [Game Mode] can be set depends on the Input signal.
- If the [Game Mode] is changed in the DP (DisplayPort) input, the screen may flicker or the resolution of your PC screen may be affected.
- HDR content may not display correctly depending on Windows OS settings, please check HDR On/Off settings in Windows.
- When the HDR function is turned on, the characters or picture quality may be poor according to Graphic card
  performance.
- While the HDR function is on, screen flickering or cracking may occur when changing the monitor input or power on/off according to Graphic card performance.
- For information about whether the graphics card and game support HDR, visit their manufacture's website.

- [Dual-Mode]: By increasing the refresh rate, you can experience smoother and faster motion.
  - [Off]: It can support up to 3840 x 2160 at 240 Hz, and may vary depending on PC performance.
- [On(Full Wide)] / [On(27")] / [On(24")]: It can support up to 1920 x 1080 at 480 Hz, and may vary depending on PC performance.
  - » Screen size is changed following each settings.
- [Dual-Mode] button allows you to switch [Dual-Mode] between [Off] and the previous selection [On(Full Wide)], [On(27")] or [On(24")].
- » Initially switches between [Off] and [On(Full Wide)].
- [Adaptive-Sync]/[VRR]: This function shows a clear screen without screen tearing or stuttering in the game environment.

However, screen flickering may occur in some game environments.

- Supported Interface: DisplayPort (Adaptive-Sync), HDMI (VRR).
- Supported Graphic Card: A graphic card that supports NVIDIA's G-SYNC or AMD's FreeSync is necessary.
- Supported Version: Make sure to update the graphic card to the latest driver.
- For more information and requirement, refer to NVIDIA website (www.nvidia.com) and AMD website (www.amd.com).
- [Black Stabilizer]: You can control the black contrast to have better visibility in dark scenes. You can easily
  distinguish objects on dark game screens.
- [Crosshair]: Crosshair provides a mark on the center of the screen for First Person Shooter (FPS) games.
   Users can select the crosshair that fits their gaming environment among four different crosshairs.
- [FPS Counter]
- [On]: The indicator is displayed on the upper left of the screen. It will reflect the actual frame rate that is
  received at the input. You can also adjust the position of [FPS Counter]. (upper left/upper right/lower right/
  lower left)
- [Off]: Does not use the [FPS Counter] feature.
- [FPS Counter] and [Crosshair] feature can not be used at the same time.
- [Game Reset]: Returns game settings to the default settings.

### [Picture Adjust]

#### [Settings] > [Picture Adjust]

- [Brightness]: Adjusts the brightness of the screen.
- [Peak Brightness]: Adjust the panel peak brightness for a brighter screen.
- [Contrast]: Adjusts the contrast of the screen.
- [Sharpness]: Adjusts the sharpness of the screen.
- [Gamma]
  - [Mode 1], [Mode 2], [Mode 3]: The higher the gamma value, the darker the image becomes. Likewise, the lower the gamma value, the lighter the image becomes.
  - [Mode 4]: If you do not need to adjust the gamma settings, select [Mode 4].
- [Color Temp]: Set your own color temperature.
  - [Custom]: The user can customize the red, green and blue color.
  - [Warm]: Sets the screen color to a reddish tone.
- [Medium]: Sets the screen color to between a red and blue tone.
- [Cool]: Sets the screen color to a bluish tone.
- [Manual]: The user can fine-tune the color temperature.
- [R/G/B]: You can customize the picture color using red, green, and blue colors.

- [Six Color]: Meets the user requirements for colors by adjusting the hue and saturation of the six colors (red, green, blue, cyan, magenta, and yellow) and then saving the settings.
  - Hue: Adjusts the tone of the screen colors.
  - Saturation: Adjusts the saturation of the screen colors. The lower the value, the less saturated and brighter
    the colors become. The higher the value, the more saturated and darker the colors become.
- [Black Level]: Sets the offset level (for HDMI only).

Offset: as a reference for a video signal, this is the darkest color the monitor can display.

- [High]: Keeps the current contrast ratio of the screen.
- [Low]: Lowers the black levels and raises the white levels from the current contrast ratio of the screen.
- [Picture Reset]: Returns picture and color to the default settings.

#### [Sound]

#### [Settings] > [Sound]

- [Sound Out]: Changes the desired audio output method.
- [DTS Headphone:X]: Enables the realization of three-dimensional sound with headphones or earphone.
  - [Game]: This mode is optimized for Game.
  - [Entertainment]: This mode is optimized for Entertainment.
  - [Sports]: This mode is optimized for Sports.
  - [Off]: Disables DTS Headphone:X function.
- [DTS Virtual:X]: Enables the realization of three-dimensional sound with speaker.
  - [Game]: This mode is optimized for Game.
  - [Entertainment]: This mode is optimized for Entertainment.
  - [Sports]: This mode is optimized for Sports.
- [Off]: Disables DTS Virtual:X function.
- [Volume]: Adjusts the volume level.
  - You can adjust [Mute] / [Unmute] by moving the joystick button to ▼ in the [Volume] menu.

#### [Input]

#### [Settings] > [Input]

- [Input List]: Selects the input mode.
- [Aspect Ratio]: Adjusts the aspect ratio of the screen. The display may look the same for [Full Wide],
   [Original], and [Just Scan] options at the recommended resolution.
- [Full Wide]: Displays the video in widescreen, regardless of the video signal input.
- [Original]: Displays video according to the aspect ratio of the video signal input.
- [Just Scan]: The aspect ratio is not adjusted from the original.
- [Auto Input Switch]: When [Auto Input Switch] is set to [0n], display will automatically switch to new input when connected.

#### [General]

#### [Settings] > [General]

- [Language]: Sets the menu screen to the desired language.
- [OLED Screen Move]: Moving the screen minutely at regular intervals helps to prevent panel noise caused by images that have been fixed for a long time.
- Supports four modes with different screen movement paths, pixel counts and cycles. Select the appropriate mode in accordance with the usage environment.
- [OLED Screen Saver]: If there is no movement on the screen for a certain period of time, the screen turns off automatically.
- [OLED Image Cleaning]: Corrects screen problems that may occur when the monitor is turned on for a long time. This will take approximately 10 minutes to complete.
- It is automatically executed when entering power saving mode or turning off the power after more than 4 hours of use from the previous [OLED Image Cleaning] completion.
- [Hexagon Lighting]: Sets the lighting on the back of the monitor.
  - [Static 1], [Static 2], [Static 3], [Static 4]: Sets the lighting to the desired color.
  - [Cycling]: All colors appear alternately.
  - [Off]: Turns off the light on the back of the monitor.
- [User-defined Key 1]/[User-defined Key 2]: You can customize the main menu to access your preferred menu easily. [User-defined Key 1] and [User-defined Key 2] appear at the left/right of the main menu.

- [SMART ENERGY SAVING]: Conserve energy by using luminance compensation algorithm.
  - [High]: Saves energy using the high-efficiency [SMART ENERGY SAVING] feature.
  - [Low]: Saves energy using the low-efficiency [SMART ENERGY SAVING] feature.
  - [Off]: Disables the feature.
- The value of energy saving data may differ depending on panel and panel suppliers.
- If you select the option of [SMART ENERGY SAVING] is [High] or [Low], monitor luminance become higher or lower depend on source.
- [Deep Sleep Mode]: When [Deep Sleep Mode] is [On], power consumption is minimized while the monitor is
  in standby mode.
- [Automatic Standby]: If there is no operation on the monitor for a certain period of time, the monitor will
  automatically switch to standby mode.
- [Input Compatibility Version]: You can set each input to match the supported version of the connected device.
  - If the connected device supports 2.1 in HDMI but the screen or sound does not work properly, set this
    function to 2.1(AV).
- [Buzzer]: This feature lets you set the sound generated from Buzzer when your monitor powers on.
- [OSD Lock]: This feature disables the configuration and adjustment of menus.

All features are disabled except:

- [Brightness] / [Contrast] in [Picture Adjust]
- [Volume] in [Sound]
- [Input]
- [OSD Lock] / [Information] / [Open Source Software License] in [General]
- [Information]: The following display information will be shown; [Total Power On Time], [Resolution].
- [Open Source Software License]: If you select the [View], you can check the Open Source Software notice information.
- [Reset to Initial Settings]: Returns to the default settings.

# **Important Information for Preventing Image Retention**

Unlike regular LED/LCD monitors, pixels in the OLED monitors emit light on their own, achieving a perfect black and creating clear images without blurring of light.

Image retention does not occur in normal use of the product, but can occur if the same screen is watched for a long time. Built-in features are available to protect the screen from possible image retention.

If a static image persists on the screen, the screen saver will automatically lower the full screen brightness, and the screen will turn off automatically after a certain period of time. When an image change is detected, the brightness is automatically restored to its original state. This is not a malfunction of the product.

#### **Examples of Images that may Cause Image Retention**

- Static images or images containing objects/information that are constantly visible in a fixed position on the screen (e.g., icons on the desktop, fixed windows such as menus, or logos while watching broadcasts, etc.)
- Fixed menu/icon on a game console or set-top box
- Fixed menu on the top corner of the web browser

## **Recommendations For Preventing Image Retention**

 You can prevent image retention using monitor menu settings. (Go to [Settings] > [General] > [OLED Screen Move] / [OLED Screen Saver] / [OLED Image Cleaning])

## Safety precautions for prolonged use

Due to the unique properties of OLED panels, the brightness may be reduced with prolonged use. Reduced brightness is permanent.

In addition, repeated use in conditions such as high temperature and high humidity or still images/high luminance may result in afterimages, image blurring, or screen malfunction.

## **PRODUCT SPECIFICATION**

Specifications are subject to change without notice.

The symbol ~ means alternating current, and the symbol \_\_\_ means direct current.

#### Color Depth:

• 8-bit/10-bit color is supported.

#### Resolution

- Max Resolution:
  - 3840 x 2160 @ 240 Hz
- Recommended Resolution:
- 3840 x 2160 @ 240 Hz

#### **Environmental Conditions**

- Operating Conditions
  - Temperature: 0 °C to 40 °C (32 °F to 104 °F)
- Humidity: Less than 80 %
- Storing Conditions
  - Temperature: -20 °C to 60 °C (-4 °F to 140 °F)
  - Humidity: Less than 85 %

### AC/DC Adapter

Model: ACC-LATP2

Manufacturer: SHENZHEN HONOR ELECTRONIC CO., LTD

- Input: 100-240 V~ 50/60 Hz 2.5 A
- Output: 19.5 V --- 10.8 A
- Model: AD10630LF

Manufacturer: PI ELECTRONICS (H.K.) Ltd.

- Input: 100-240 V~ 50/60 Hz 2.5 A
- Output: 19.5 V --- 10.8 A

#### **Power Sources**

• Power Rating: 19.5 V = -- 9.0 A

#### Dimensions: Monitor Size (Width x Height x Depth)

- With Stand:
  - 714.1 x 627.0 x 266.0 (mm)
- 28.1 x 24.6 x 10.5 (inches)
- · Without Stand:
- 714.1 x 411.8 x 65.0 (mm)
- 28.1 x 16.2 x 2.5 (inches)

#### Weight (Without Packaging)

- With Stand: 9.0 kg (19.8 lbs)
- Without Stand: 5.6 kg (12.3 lbs)

# **Support Mode**

## (Preset Mode, HDMI)

Resolution	Horizontal Frequency (kHz)	Vertical Frequency (Hz)	Polarity (H/V)	Remarks
640 x 480	31.469	59.940	-/-	
800 x 600	37.879	60.317	+/+	
1024 x 768	48.363	60.004	-/-	
1280 x 720	45.000	60.000	+/+	
1280 x 1024	79.976	75.025	+/+	
1920 x 1080	67.500	60.000	+/+	
1920 x 1080	66.587	59.934	+/-	
3840 x 2160	65.688	29.981	+/-	Recommended ([Input Compatibility Version]: [1.4])
1920 x 1080	137.327	120.041	+/-	
1920 x 1080	166.668	144.052	+/-	
2560 x 1440	182.996	119.998	+/-	
3840 x 2160	133.313	59.997	+/-	Recommended ([Input Compatibility Version]: [2.1(AV)])
2560 x 1440	222.268	144.050	+/-	
1920 x 1080	291.702	240.084	+/-	
3840 x 2160	333.333	144.050	+/-	
1920 x 1080	665.760	480.000	+/-	Recommended ([Dual-Mode]: [On(Full Wide)], [On(27")] or [On(24")])
3840 x 2160	583.016	240.023	+/-	Recommended ([Input Compatibility Version]: [2.1(PC)])

## (Preset Mode, DisplayPort)

Resolution	Horizontal Frequency (kHz)	Vertical Frequency (Hz)	Polarity (H/V)	Remarks
640 x 480	31.469	59.940	-/-	
800 x 600	37.879	60.317	+/+	
1024 x 768	48.363	60.004	-/-	
1280 x 720	45.000	60.000	+/+	
1280 x 1024	79.976	75.025	+/+	
1920 x 1080	67.500	60.000	+/+	
1920 x 1080	137.327	120.041	+/-	
1920 x 1080	166.587	143.981	+/-	
3840 x 2160	133.313	59.997	+/-	Recommended ([Input Compatibility Version]: [1.2])
2560 x 1440	222.151	143.973	+/-	
1920 x 1080	291.702	240.084	+/-	
3840 x 2160	214.680	95.033	+/-	
3840 x 2160	268.438	119.999	+/-	Recommended ([Input Compatibility Version]: [1.4])
3840 x 2160	333.333	144.050	+/-	
1920 x 1080	665.995	480.170	+/-	Recommended ([Dual-Mode]: [On(Full Wide)], [On(27")] or [On(24")])
3840 x 2160	583.165	240.084	+/-	Recommended ([Input Compatibility Version]: [1.4(DSC)])

<sup>•</sup> If the input timing is used outside of the supported frequency, response speed or image quality may deteriorate.

<sup>•</sup> To display the preferred timing & frequency, make sure to use the graphics card that supports DSC (Display Stream Compression).

## HDMI Timing (Video)

Resolution	Horizontal Frequency (kHz)	Vertical Frequency (Hz)
480P	31.5	60
720P	45	60
1080P	67.5	60
1080P	135	120
2160P	135	60
2160P	255	120

## **TROUBLESHOOTING**

#### Nothing is displayed on the screen.

- Is the monitor's power cord plugged in?
- Check if the power cord is correctly plugged into the power outlet.
- If the monitor is in sleep mode (standby mode), move the mouse, or press any key on the keyboard, to switch the display on.
- Check if the computer is turned on.
- Is the monitor powered on?
  - Check if the input setting is correct. ([Settings] > [Input])
- Is the [The screen is not currently set to the recommended resolution.] message being displayed?
  - This occurs when signals transferred from the PC (graphics card) are out of the recommended horizontal or vertical frequency range of the monitor. Please see the PRODUCT SPECIFICATION section of this manual to set the appropriate frequency.
- Is the [No Signal] message being displayed?
  - This is displayed when the signal cable between the PC and the monitor is missing or disconnected. Check the cable and reconnect it.
- Is the [Out of Range] message being displayed?
  - This occurs when signals transferred from the PC (graphics card) are out of the horizontal or vertical frequency range of the monitor. Please see the PRODUCT SPECIFICATION section of this manual to set the appropriate frequency.

## Do you see an "Unrecognized monitor, Plug and Play (VESA DDC) monitor found" message?

- · Have you installed the display driver?
- Be sure to install the display driver from our web site: http://www.lg.com.
- Make sure to check if the graphics card supports Plug and Play function.

#### Screen display is unstable and shaky. / Images displayed on the monitor leave shadow trails.

- Did you select the appropriate resolution?
  - If the selected resolution is HDMI 1080i 60/50 Hz (interlaced), the screen may be flickering. Change the resolution to 1080p or the recommended resolution.
  - Not setting the graphics card to the recommended (optimal) resolution may result in blurred text, a dimmed screen, a truncated display area or misalignment of the display.
  - The setting methods may be different depending on the computer or operating system, and some
    resolutions may not be available depending on the performance of the graphics card. If this is the case,
    contact the manufacturer of the computer or graphics card for assistance.
- Are there spots on the screen?
  - When using the monitor, pixilated spots (red, green, blue, white, or black) may appear on the screen. It is not an error, nor is it related to the monitor's performance.

#### Some features are disabled.

- · Are some functions not available when you press the Menu button?
  - The OSD is locked. Disable [OSD Lock] in [General].

#### No sound from the headset port.

- · Are images displayed using DisplayPort or HDMI input without sound?
  - Make sure that the headset port connections are made properly.
- Try increasing the volume with the joystick.
- Set the audio output of the PC to the monitor you are using. (The settings may differ depending on the operating system (OS) you use.)
- Set [Sound Out] to [H/P Out].

# **LICENSE**

Each model has different licenses. Visit www.lg.com for more information on the license.

HIGH-DEFINITION MULTIMEDIA INTERFACE	The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade Dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.
SS←®	The SuperSpeed USB Trident logo is a registered trademark of USB Implementers Forum, Inc.
headphone VIRTUAL:X	Manufactured under license from DTS Licensing Limited. For applicable DTS patents, see https://xperi.com/patents/. DTS, the Symbol, DTS and the Symbol together, Headphone:X and DTS Virtual:X are trademarks of DTS, Inc. and affiliates. DTS' software, technologies, and documentation, © DTS, Inc. and affiliates. All Rights Reserved.
	VESA, VESA logo, DisplayPort compliance logo and DisplayPort compliance logo for dual-mode source devices are all registered trademarks of the Video Electronics Standards Association.

# OPEN SOURCE SOFTWARE NOTICE INFORMATION

To obtain the source code that is contained in this product, under GPL, LGPL, MPL, and other open source licenses that have the obligation to disclose source code, and to access all referred license terms, copyright notices and other relevant documents, please visit <a href="https://opensource.lge.com">https://opensource.lge.com</a>.

LG Electronics will also provide open source code to you on CD-ROM for a charge covering the cost of performing such distribution (such as the cost of media, shipping, and handling) upon email request to *opensource@lge.com*.

This offer is valid to anyone in receipt of this information for a period of three years after our last shipment of this product.

# **BEEP GUIDE**

Menu	Location
Game Adjust	1
Game Adjust - Game Mode	11
Game Adjust - Game Mode - Gamer 1	111
Game Adjust - Game Mode - Gamer 2	112
Game Adjust - Game Mode - FPS	113
Game Adjust - Game Mode - RTS	114
Game Adjust - Game Mode - Vivid	115
Game Adjust - Game Mode - Reader	116
Game Adjust - Game Mode - HDR Effect	117
Game Adjust - Game Mode - sRGB	118
Game Adjust - Game Mode - Color Weakness	119
Game Adjust - Game Mode - Calibration 1	1110
Game Adjust - Game Mode - Calibration 2	1111
Game Adjust - Dual-Mode	12
Game Adjust - Dual-Mode - Off	121
Game Adjust - Dual-Mode - On(Full Wide)	122
Game Adjust - Dual-Mode - On(27")	123
Game Adjust - Dual-Mode - On(24")	124
Game Adjust - VRR / Adaptive-Sync	13
Game Adjust - VRR / Adaptive-Sync - On	131
Game Adjust - VRR / Adaptive-Sync - Off	132
Game Adjust - Black Stabilizer	14
Game Adjust - Black Stabilizer	141 Slider
Game Adjust - Crosshair	15
Game Adjust - Crosshair - Red Cross	151
Game Adjust - Crosshair - Green Cross	152
Game Adjust - Crosshair - Red Dot	153

Game Adjust - Crosshair - Off         155           Game Adjust - FPS Counter         16           Game Adjust - FPS Counter - On         161           Game Adjust - FPS Counter - Off         162           Game Adjust - Game Reset         17           Game Adjust - Game Reset - No         171           Game Adjust - Brightness         21           Picture Adjust - Brightness         21           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Low         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         251           Picture Adjust - Gamma - Mode 2         252           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Gamma - Mode 4         254           Picture Adjust - Color Temp         26           Picture Adjust - Color Temp - Custom         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust	Menu	Location
Game Adjust - FPS Counter         16           Game Adjust - FPS Counter - On         161           Game Adjust - FPS Counter - Off         162           Game Adjust - Game Reset         17           Game Adjust - Game Reset - No         171           Game Adjust - Game Reset - Yes         172           Picture Adjust - Brightness         21           Picture Adjust - Brightness         22           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Low         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 2         252           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Gamma - Mode 4         254           Picture Adjust - Golor Temp - Warm         262           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263 <td< td=""><td>Game Adjust - Crosshair - Green Dot</td><td>154</td></td<>	Game Adjust - Crosshair - Green Dot	154
Game Adjust - FPS Counter - On         161           Game Adjust - FPS Counter - Off         162           Game Adjust - FPS Counter - Off         162           Game Adjust - Game Reset         17           Game Adjust - Game Reset - No         171           Game Adjust - Brightness         21           Picture Adjust - Brightness         21           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Low         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 1         251           Picture Adjust - Gamma - Mode 2         252           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Gamma - Mode 4         254           Picture Adjust - Color Temp - Warm         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263	Game Adjust - Crosshair - Off	155
Game Adjust - FPS Counter - Off         162           Game Adjust - Game Reset         17           Game Adjust - Game Reset - No         171           Game Adjust - Game Reset - Yes         172           Picture Adjust - Brightness         21           Picture Adjust - Brightness         211 Slider           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 2         252           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Gamma - Mode 4         254           Picture Adjust - Color Temp - Custom         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Medium         263 <td>Game Adjust - FPS Counter</td> <td>16</td>	Game Adjust - FPS Counter	16
Game Adjust - Game Reset         17           Game Adjust - Game Reset - No         171           Game Adjust - Game Reset - Yes         172           Picture Adjust - Brightness         21           Picture Adjust - Brightness         211 Slider           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Low         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 1         251           Picture Adjust - Gamma - Mode 2         252           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Golor Temp - Ustom         26           Picture Adjust - Color Temp - Ustom         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Modium         264           Picture Adjust - Color Temp - Modium         265	Game Adjust - FPS Counter - On	161
Game Adjust - Game Reset - No         171           Game Adjust - Game Reset - Yes         172           Picture Adjust - Brightness         21           Picture Adjust - Brightness         21 1 Slider           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - Low         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24 1 Slider           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 1         25 1           Picture Adjust - Gamma - Mode 2         25 2           Picture Adjust - Gamma - Mode 3         25 3           Picture Adjust - Gor Temp - Wode 4         25 4           Picture Adjust - Color Temp - Custom         26 1           Picture Adjust - Color Temp - Warm         26 2           Picture Adjust - Color Temp - Medium         26 3           Picture Adjust - Color Temp - Modium         26 4           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Mo	Game Adjust - FPS Counter - Off	162
Game Adjust - Game Reset - Yes         172           Picture Adjust - Brightness         21           Picture Adjust - Brightness         211 Slider           Picture Adjust - Peak Brightness         22           Picture Adjust - Peak Brightness - High         221           Picture Adjust - Peak Brightness - High         222           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Peak Brightness - Off         223           Picture Adjust - Contrast         23           Picture Adjust - Contrast         23           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24 T Slider           Picture Adjust - Gamma - Mode 1         25           Picture Adjust - Gamma - Mode 2         25           Picture Adjust - Gamma - Mode 3         253           Picture Adjust - Gamma - Mode 4         254           Picture Adjust - Golor Temp - Custom         26           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Cool         264           Picture Adjust - Color Temp - Cool         264	Game Adjust - Game Reset	17
Picture Adjust - Brightness         2 1           Picture Adjust - Brightness         2 11 Slider           Picture Adjust - Peak Brightness         2 2           Picture Adjust - Peak Brightness - High         2 2 1           Picture Adjust - Peak Brightness - Low         2 2 2           Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Sharpness         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         2 5           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Gor Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Gool         2 6 4           Picture Adjust - Color Temp - Medium         2 6 5	Game Adjust - Game Reset - No	171
Picture Adjust - Brightness         2 1 1 Slider           Picture Adjust - Peak Brightness         2 2           Picture Adjust - Peak Brightness - High         2 2 1           Picture Adjust - Peak Brightness - Low         2 2 2           Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Gamma - Mode 4         2 5 4           Picture Adjust - Color Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Game Adjust - Game Reset - Yes	172
Picture Adjust - Peak Brightness         2 2           Picture Adjust - Peak Brightness - High         2 2 1           Picture Adjust - Peak Brightness - Low         2 2 2           Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Sharpness         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         2 5           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Gamma - Mode 4         2 5 4           Picture Adjust - Color Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Brightness	21
Picture Adjust - Peak Brightness - High         2 2 1           Picture Adjust - Peak Brightness - Low         2 2 2           Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Sharpness         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         2 5           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Goor Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Brightness	2 1 1 Slider
Picture Adjust - Peak Brightness - Low         2 2 2           Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Gontrast         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         2 5           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Gon Temp         2 6           Picture Adjust - Color Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Peak Brightness	22
Picture Adjust - Peak Brightness - Off         2 2 3           Picture Adjust - Contrast         2 3           Picture Adjust - Contrast         2 3 1 Slider           Picture Adjust - Sharpness         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         2 5           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Goor Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Peak Brightness - High	221
Picture Adjust - Contrast         23           Picture Adjust - Contrast         23 1 Slider           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24 1 Slider           Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         25 1           Picture Adjust - Gamma - Mode 2         25 2           Picture Adjust - Gamma - Mode 3         25 3           Picture Adjust - Gor Temp - Mode 4         25 4           Picture Adjust - Color Temp - Custom         26 1           Picture Adjust - Color Temp - Warm         26 2           Picture Adjust - Color Temp - Medium         26 3           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Manual         26 5	Picture Adjust - Peak Brightness - Low	222
Picture Adjust - Contrast         23 1 Slider           Picture Adjust - Sharpness         24           Picture Adjust - Sharpness         24 1 Slider           Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         25 1           Picture Adjust - Gamma - Mode 2         25 2           Picture Adjust - Gamma - Mode 3         25 3           Picture Adjust - Gamma - Mode 4         25 4           Picture Adjust - Color Temp         26           Picture Adjust - Color Temp - Custom         26 1           Picture Adjust - Color Temp - Warm         26 2           Picture Adjust - Color Temp - Medium         26 3           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Manual         26 5	Picture Adjust - Peak Brightness - Off	223
Picture Adjust - Sharpness         2 4           Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         2 5 1           Picture Adjust - Gamma - Mode 2         2 5 2           Picture Adjust - Gamma - Mode 3         2 5 3           Picture Adjust - Gamma - Mode 4         2 5 4           Picture Adjust - Color Temp         2 6           Picture Adjust - Color Temp - Custom         2 6 1           Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Contrast	23
Picture Adjust - Sharpness         2 4 1 Slider           Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         25 1           Picture Adjust - Gamma - Mode 2         25 2           Picture Adjust - Gamma - Mode 3         25 3           Picture Adjust - Gamma - Mode 4         25 4           Picture Adjust - Color Temp         26           Picture Adjust - Color Temp - Custom         26 1           Picture Adjust - Color Temp - Warm         26 2           Picture Adjust - Color Temp - Medium         26 3           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Manual         26 5	Picture Adjust - Contrast	2 3 1 Slider
Picture Adjust - Gamma         25           Picture Adjust - Gamma - Mode 1         25 1           Picture Adjust - Gamma - Mode 2         25 2           Picture Adjust - Gamma - Mode 3         25 3           Picture Adjust - Gamma - Mode 4         25 4           Picture Adjust - Color Temp         26           Picture Adjust - Color Temp - Custom         26 1           Picture Adjust - Color Temp - Warm         26 2           Picture Adjust - Color Temp - Medium         26 3           Picture Adjust - Color Temp - Cool         26 4           Picture Adjust - Color Temp - Manual         26 5	Picture Adjust - Sharpness	24
Picture Adjust - Gamma - Mode 1       251         Picture Adjust - Gamma - Mode 2       252         Picture Adjust - Gamma - Mode 3       253         Picture Adjust - Gamma - Mode 4       254         Picture Adjust - Color Temp       26         Picture Adjust - Color Temp - Custom       261         Picture Adjust - Color Temp - Warm       262         Picture Adjust - Color Temp - Medium       263         Picture Adjust - Color Temp - Cool       264         Picture Adjust - Color Temp - Manual       265	Picture Adjust - Sharpness	2 4 1 Slider
Picture Adjust - Gamma - Mode 2       252         Picture Adjust - Gamma - Mode 3       253         Picture Adjust - Gamma - Mode 4       254         Picture Adjust - Color Temp       26         Picture Adjust - Color Temp - Custom       261         Picture Adjust - Color Temp - Warm       262         Picture Adjust - Color Temp - Medium       263         Picture Adjust - Color Temp - Cool       264         Picture Adjust - Color Temp - Manual       265	Picture Adjust - Gamma	25
Picture Adjust - Gamma - Mode 3       253         Picture Adjust - Gamma - Mode 4       254         Picture Adjust - Color Temp       26         Picture Adjust - Color Temp - Custom       261         Picture Adjust - Color Temp - Warm       262         Picture Adjust - Color Temp - Medium       263         Picture Adjust - Color Temp - Cool       264         Picture Adjust - Color Temp - Manual       265	Picture Adjust - Gamma - Mode 1	251
Picture Adjust - Gamma - Mode 4       2 5 4         Picture Adjust - Color Temp       2 6         Picture Adjust - Color Temp - Custom       2 6 1         Picture Adjust - Color Temp - Warm       2 6 2         Picture Adjust - Color Temp - Medium       2 6 3         Picture Adjust - Color Temp - Cool       2 6 4         Picture Adjust - Color Temp - Manual       2 6 5	Picture Adjust - Gamma - Mode 2	252
Picture Adjust - Color Temp         26           Picture Adjust - Color Temp - Custom         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Cool         264           Picture Adjust - Color Temp - Manual         265	Picture Adjust - Gamma - Mode 3	253
Picture Adjust - Color Temp - Custom         261           Picture Adjust - Color Temp - Warm         262           Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Cool         264           Picture Adjust - Color Temp - Manual         265	Picture Adjust - Gamma - Mode 4	254
Picture Adjust - Color Temp - Warm         2 6 2           Picture Adjust - Color Temp - Medium         2 6 3           Picture Adjust - Color Temp - Cool         2 6 4           Picture Adjust - Color Temp - Manual         2 6 5	Picture Adjust - Color Temp	26
Picture Adjust - Color Temp - Medium         263           Picture Adjust - Color Temp - Cool         264           Picture Adjust - Color Temp - Manual         265	Picture Adjust - Color Temp - Custom	261
Picture Adjust - Color Temp - Cool 2 6 4 Picture Adjust - Color Temp - Manual 2 6 5	Picture Adjust - Color Temp - Warm	262
Picture Adjust - Color Temp - Manual 2 6 5	Picture Adjust - Color Temp - Medium	263
, ,	Picture Adjust - Color Temp - Cool	264
Picture Adjust - Color Temp - Manual 2 6 5 1 Slider	Picture Adjust - Color Temp - Manual	265
	Picture Adjust - Color Temp - Manual	2 6 5 1 Slider

Menu	Location
Picture Adjust - R/G/B	27
Picture Adjust - R/G/B - Red	271
Picture Adjust - R/G/B - Red	2711Slider
Picture Adjust - R/G/B - Green	272
Picture Adjust - R/G/B - Green	2721 Slider
Picture Adjust - R/G/B - Blue	273
Picture Adjust - R/G/B - Blue	2731Slider
Picture Adjust - Six Color	28
Picture Adjust - Six Color - Red Hue	281
Picture Adjust - Six Color - Red Hue	2811Slider
Picture Adjust - Six Color - Red Saturation	282
Picture Adjust - Six Color - Red Saturation	2821 Slider
Picture Adjust - Six Color - Green Hue	283
Picture Adjust - Six Color - Green Hue	2831 Slider
Picture Adjust - Six Color - Green Saturation	284
Picture Adjust - Six Color - Green Saturation	2841 Slider
Picture Adjust - Six Color - Blue Hue	285
Picture Adjust - Six Color - Blue Hue	2851 Slider
Picture Adjust - Six Color - Blue Saturation	286
Picture Adjust - Six Color - Blue Saturation	2861 Slider
Picture Adjust - Six Color - Cyan Hue	287
Picture Adjust - Six Color - Cyan Hue	2871 Slider
Picture Adjust - Six Color - Cyan Saturation	288
Picture Adjust - Six Color - Cyan Saturation	2881 Slider
Picture Adjust - Six Color - Magenta Hue	289
Picture Adjust - Six Color - Magenta Hue	2891 Slider
Picture Adjust - Six Color - Magenta Saturation	2810
Picture Adjust - Six Color - Magenta Saturation	2 8 10 1 Slider
Picture Adjust - Six Color - Yellow Hue	2811
Picture Adjust - Six Color - Yellow Hue	2 8 11 1 Slider

Menu	Location
Picture Adjust - Six Color - Yellow Saturation	2 8 12
Picture Adjust - Six Color - Yellow Saturation	2 8 12 1 Slider
Picture Adjust - Black Level	29
Picture Adjust - Black Level - High	291
Picture Adjust - Black Level - Low	292
Picture Adjust - Picture Reset	2 10
Picture Adjust - Picture Reset - No	2 10 1
Picture Adjust - Picture Reset - Yes	2 10 2
Sound	3
Sound - Sound Out	31
Sound - Sound Out - H/P Out	311
Sound - Sound Out - Internal Speaker	312
Sound - DTS Headphone:X	32
Sound - DTS Headphone:X - Game	321
Sound - DTS Headphone:X - Entertainment	322
Sound - DTS Headphone:X - Sports	323
Sound - DTS Headphone:X - Off	324
Sound - DTS Virtual:X	33
Sound - DTS Virtual:X - Game	331
Sound - DTS Virtual:X - Entertainment	332
Sound - DTS Virtual:X - Sports	333
Sound - DTS Virtual:X - Off	334
Sound - Volume	3 4
Sound - Volume	3 4 1 Slider
Input	4
Input - Input List	41
Input - Input List - HDMI 1	411
Input - Input List - HDMI 2	412
Input - Input List - DisplayPort	413
Input - Aspect Ratio	42

Menu	Location
Input - Aspect Ratio - Full Wide	421
Input - Aspect Ratio - Original	422
Input - Aspect Ratio - Just Scan	423
Input - Auto Input Switch	43
Input - Auto Input Switch - On	431
Input - Auto Input Switch - Off	432
General	5
General - Language	51
General - Language - English	511
General - Language - German	512
General - Language - French	513
General - Language - Spanish	514
General - Language - Italian	515
General - Language - Swedish	516
General - Language - Finnish	517
General - Language - Portuguese	518
General - Language - Portuguese (Brazil)	519
General - Language - Polish	5 1 10
General - Language - Russian	5 1 11
General - Language - Turkish	5 1 12
General - Language - Ukrainian	5 1 13
General - Language - Chinese	5 1 14
General - Language - Traditional Chinese	5 1 15
General - Language - Japanese	5 1 16
General - Language - Korean	5 1 17
General - OLED Screen Move	52
General - OLED Screen Move - Off	521
General - OLED Screen Move - Mode 1	522
General - OLED Screen Move - Mode 2	523
General - OLED Screen Move - Mode 3	524

Menu	Location
General - OLED Screen Move - Mode 4	525
General - OLED Screen Saver	53
General - OLED Screen Saver - On	531
General - OLED Screen Saver - Off	532
General - OLED Image Cleaning	54
General - OLED Image Cleaning - No	541
General - OLED Image Cleaning - Yes	542
General - Hexagon Lighting	55
General - Hexagon Lighting - Static 1	551
General - Hexagon Lighting - Static 1	5 5 1 Color Chip
General - Hexagon Lighting - Static 2	552
General - Hexagon Lighting - Static 2	5 5 2 Color Chip
General - Hexagon Lighting - Static 3	553
General - Hexagon Lighting - Static 3	5 5 3 Color Chip
General - Hexagon Lighting - Static 4	554
General - Hexagon Lighting - Static 4	5 5 4 Color Chip
General - Hexagon Lighting - Cycling	555
General - Hexagon Lighting - Off	556
General - User-defined Key 1	56
General - User-defined Key 1 - Input	561
General - User-defined Key 1 - Game Mode	562
General - User-defined Key 1 - OLED Image Cleaning	563
General - User-defined Key 1 - Sound Out	564
General - User-defined Key 1 - DTS Headphone:X	565
General - User-defined Key 1 - DTS Virtual:X	566
General - User-defined Key 1 - Crosshair	567
General - User-defined Key 1 - Black Stabilizer	568
General - User-defined Key 1 - FPS Counter	569
General - User-defined Key 1 - Hexagon Lighting	5610
General - User-defined Key 2	57

Menu	Location
General - User-defined Key 2 - Input	571
General - User-defined Key 2 - Game Mode	572
General - User-defined Key 2 - OLED Image Cleaning	573
General - User-defined Key 2 - Sound Out	574
General - User-defined Key 2 - DTS Headphone:X	575
General - User-defined Key 2 - DTS Virtual:X	576
General - User-defined Key 2 - Crosshair	577
General - User-defined Key 2 - Black Stabilizer	578
General - User-defined Key 2 - FPS Counter	579
General - User-defined Key 2 - Hexagon Lighting	5710
General - SMART ENERGY SAVING	58
General - SMART ENERGY SAVING - High	581
General - SMART ENERGY SAVING - Low	582
General - SMART ENERGY SAVING - Off	583
General - Deep Sleep Mode	59
General - Deep Sleep Mode - On	591
General - Deep Sleep Mode - Off	592
General - Automatic Standby	5 10
General - Automatic Standby - 8H	5 10 1
General - Automatic Standby - 6H	5 10 2
General - Automatic Standby - 4H	5 10 3
General - Automatic Standby - Off	5 10 4
General - Input Compatibility Version	511
General - Input Compatibility Version - 2.1(PC) / 1.4(DSC)	5111
General - Input Compatibility Version - 2.1(AV) / 1.4	5112
General - Input Compatibility Version - 1.4 / 1.2	5113
General - Buzzer	5 12
General - Buzzer - On	5 12 1
General - Buzzer - Off	5122

Menu	Location
General - OSD Lock	5 13
General - OSD Lock - On	5 13 1
General - OSD Lock - Off	5 13 2
General - Information	5 14
General - Open Source Software License	5 15
General - Open Source Software License	5 15 1
General - Reset to Initial Settings	5 16
General - Reset to Initial Settings - No	5 16 1
General - Reset to Initial Settings - Yes	5 16 2

# **LIMITED WARRANTY (USA)**

THE PRODUCT'S FULL LIMITED WARRANTY TERMS AND CONDITIONS ARE AVAILABLE AT https://www.la.com/us and/or your warranty.

ARBITRATION NOTICE: THIS LIMITED WARRANTY CONTAINS AN ARBITRATION PROVISION THAT REQUIRES YOU AND LG ELECTRONICS ("LG") TO RESOLVE DISPUTES BY BINDING ARBITRATION INSTEAD OF IN COURT, UNLESS YOU CHOOSE TO OPT OUT. IN ARBITRATION. CLASS ACTIONS AND JURY TRIALS ARE NOT PERMITTED. PLEASE SEE THE SECTION TITLED "PROCEDURE FOR RESOLVING DISPUTES" BELOW.

#### PROCEDURE FOR RESOLVING DISPUTES:

ALL DISPUTES BETWEEN YOU AND LG ARISING OUT OF OR RELATING IN ANY WAY TO THIS LIMITED WARRANTY OR THE PRODUCT SHALL BE RESOLVED EXCLUSIVELY THROUGH BINDING ARBITRATION, AND NOT IN A COURT OF GENERAL JURISDICTION. BINDING ARBITRATION MEANS THAT YOU AND LG ARE EACH WAIVING THE RIGHT TO A JURY TRIAL AND TO BRING OR PARTICIPATE IN A CLASS ACTION.

**Definitions.** For the purposes of this section, references to "LC" mean LG Electronics U.S.A., Inc., its parents, subsidiaries and affiliates, and each of their officers, directors, employees, agents, beneficiaries, predecessors in interest, successors, assigns and suppliers; references to "dispute" or "claim" shall include any dispute, claim or controversy of any kind whatsoever (whether based in contract, tort, statute, regulation, ordinance, fraud, misrepresentation or any other legal or equitable theory) arising out of or relating in any way to the sale, condition or performance of the product or this Limited Warranty.

**Notice of Dispute.** In the event you intend to commence an arbitration proceeding, you must first notify LG in writing at least 30 days in advance of initiating the arbitration by sending a letter to LG at LG Electronics, USA, Inc. Attn: Legal Department- Arbitration 111 Sylvan Avenue, Englewood Cliffs, NJ 07632. You and LG agree to engage in good faith discussions in an attempt to amicably resolve your claim. The notice must provide your name, address, and telephone number; identify the product that is the subject of the claim; and describe the nature of the claim and the relief being sought. If you and LG are unable to resolve the dispute within 30 days, either party may proceed to file a claim for arbitration.

Agreement to Binding Arbitration and Class Action Waiver. Upon failure to resolve the dispute during the 30 day period after sending written notice to LG, you and LG agree to resolve any claims between us only by binding arbitration on an individual basis, unless you opt out as provided below. Any dispute between you and LG shall not be combined or consolidated with a dispute involving any other person's or entity's product or claim. More specifically, without limitation of the foregoing, any dispute between you and LG shall not under any circumstances proceed as part of a class or representative action. Instead of arbitration, either party may bring an individual action in small claims court, but that small claims court action may not be brought on a class or representative basis.

**Arbitration Rules and Procedures.** To begin arbitration of a claim, either you or LG must make a written demand for arbitration. The arbitration will be administered by the American Arbitration Association ("AAA") and will be conducted before a single arbitrator under the AAA's Consumer Arbitration Rules that are in effect at the time the arbitration is initiated (referred to as the "AAA Rules") and under the procedures set forth in this section. The AAA Rules are available online at www.adr.org/consumer. Send a copy of your written demand for arbitration, as well as a copy of this provision, to the AAA in the manner described in the AAA Rules. You must also send a copy of your written demand to LG at LG Electronics, USA, Inc. Attn: Legal Department- Arbitration 111 Sylvan Avenue, Englewood Cliffs, NJ 07632. If there is a conflict between the AAA Rules and the rules set forth in this section, the rules set forth in this section will govern. This arbitration provision is governed by the Federal Arbitration AAC. Judgment may be entered on the arbitrator's award in any court of competent jurisdiction. All issues are for the arbitrator to decide, except that issues relating to the scope and enforceability of the arbitration provision and to the arbitrationing to the decide. The arbitrator is bound by the terms of this provision.

Governing Law. The law of the state of your residence shall govern this Limited Warranty and any disputes between us except to the extent that such law is preempted by or inconsistent with applicable federal law.

Fees/Costs. You do not need to pay any fee to begin an arbitration. Upon receipt of your written demand for arbitration, LG will promptly pay all arbitration filing fees to the AAA unless you seek more than \$25,000 in damages, in which case the payment of these fees will be governed by the AAA Rules. Except as otherwise provided for herein, LG will pay all AAA filing, administration and arbitrator fees for any arbitration initiated in accordance with the AAA Rules and this arbitration provision. If you prevail in the arbitration, LG will pay your attorneys' fees and expenses as long as they are reasonable, by considering factors including, but not limited to, the purchase amount and claim amount. Notwithstanding the foregoing, if applicable law allows for an award of reasonable attorneys' fees and expenses, an arbitrator can award them to the same extent that a court would. If the arbitrator finds either the substance of your claim or the relief sought in the demand is frivolous or brought for an improper purpose (as measured by the standards set forth in Federal Rule of Civil Procedure 11(b)), then the payment of all arbitration fees will be governed by the AAA Rules. In such a situation, you agree to reimburse LG for all monies previously disbursed by it that are otherwise your obligation to pay under the AAA Rules. Except as otherwise provided for, LG waives any rights it may have to seek attorneys' fees and expenses from you if LG prevails in the arbitration.

**Hearings and Location.** If your claim is for \$25,000 or less, you may choose to have the arbitration conducted solely on the basis of (1) documents submitted to the arbitrator, (2) through a telephonic hearing, or (3) by an in-person hearing as established by the AAA Rules. If your claim exceeds \$25,000, the right to a hearing will be determined by the AAA Rules. Any in-person arbitration hearings will be held at a location within the federal judicial district in which you reside unless we both agree to another location or we agree to a telephonic arbitration.

**Opt Out.** You may opt out of this dispute resolution procedure. If you opt out, neither you nor LG can require the other to participate in an arbitration proceeding. To opt out, you must send notice to LG no later than 30 calendar days from the date of the first consumer purchaser's purchaser's purchase of the product by either: (i) sending an e-mail to optout@lge.com, with the subject line: "Arbitration Opt Out" or (ii) calling 1-800-980-2973. You must include in the opt out e-mail or provide by telephone: (a) your name and address; (b) the date on which the product was purchased; (c) the product model name or model number; and (d) the serial number (the serial number can be found (i) on the product; or (ii) online by accessing <a href="https://www.lq.com/us/support">https://www.lq.com/us/support</a> and clicking on "How do I find my model number?").

You may only opt out of the dispute resolution procedure in the manner described above (that is, by e-mail or telephone); no other form of notice will be effective to opt out of this dispute resolution procedure.

Opting out of this dispute resolution procedure will not affect the coverage of the Limited Warranty in any way, and you will continue to enjoy the full benefits of the Limited Warranty. If you keep this product and do not opt out, then you accept all terms and conditions of the arbitration provision described above.

# **LIMITED WARRANTY (CANADA)**

THE PRODUCT'S FULL LIMITED WARRANTY TERMS AND CONDITIONS ARE AVAILABLE AT https://www.la.com/ca\_en/AND/OR YOUR WARRANTY.

ARBITRATION NOTICE: THIS LIMITED WARRANTY CONTAINS AN ARBITRATION PROVISION THAT REQUIRES YOU AND LG TO RESOLVE DISPUTES BY BINDING ARBITRATION INSTEAD OF IN COURT, UNLESS THE LAWS OF YOUR PROVINCE OR TERRITORY DO NOT PERMIT THAT, OR, IN OTHER JURISDICTIONS, IF YOU CHOOSE TO OPT OUT. FOR FURTHER CLARITY, THIS ARBITRATION PROVISION IS NOT APPLICABLE TO CONSUMERS RESIDING IN ONTARIO AND QUÉBEC. IN ARBITRATION CLASS ACTIONS AND JURY TRIALS ARE NOT PERMITTED. PLEASE SEE THE SECTION TITLED "PROCEDUIRE FOR RESOLVING DISPUTES" BELOW.

#### DISCLAIMER:

IF YOU ARE A CONSUMER SUBJECT TO QUÉBEC AND ONTARIO'S CONSUMER PROTECTION ACT, THE EXCLUSION OF WARRANTIES CONTAINED IN THIS SECTION DO NOT EXCLUDE OR LIMIT THE RIGHTS AND REMEDIES THAT YOU MAY HAVE UNDER SUCH ACT, INCLUDING THE RIGHT TO MAKE A CLAIM UNDER ANY OF THE STATUTORY WARRANTIES PROVIDED THEREUNDER.

#### PROCEDURE FOR RESOLVING DISPUTES:

EXCEPT WHERE PROHIBITED AT LAW (INCLUDING WITH RESPECT TO QUÉBEC AND ONTARIO CONSUMERS), ALL DISPUTES BETWEEN YOU AND LG ARISING OUT OF OR RELATING IN ANY WAY TO THIS LIMITED WARRANTY OR THE PRODUCT SHALL BE RESOLVED EXCLUSIVELY THROUGH BINDING ARBITRATION, AND NOT IN A COURT OF GENERAL JURISDICTION. EXCEPT WHERE PROHIBITED AT LAW (INCLUDING WITH RESPECT TO QUÉBEC AND ONTARIO CONSUMERS), YOU AND LG BOTH IRREVOCABLY AGREE TO WAIVE THE RIGHT TO A JURY TRIAL AND TO BRING OR PARTICIPATE IN A CLASS ACTION.

**Definitions.** For the purposes of this section, references to "LG" mean LG Electronics Canada, Inc., its parents, subsidiaries and affiliates, and each of their officers, directors, employees, agents, beneficiaries, predecessors in interest, successors, assigns and suppliers; references to "dispute" or "claim" shall include any dispute, claim or controversy of any kind whatsoever (whether based in contract, tort, statute, regulation, ordinance, fraud, misrepresentation or any other legal or equitable theory) arising out of or relating in any way to the sale, condition or performance of the product or this Limited Warranty.

Notice of Dispute. In the event you intend to commence an arbitration proceeding, you must first notify LG in writing at least 30 days in advance of initiating the arbitration by sending a letter to LGECI Legal Team at 20 Norelco Drive, North York, Ontario, Canada M9L 2X6 (the "Notice of Dispute"). You and LG agree to engage in good faith discussions in an attempt to amicably resolve your claim. The notice must provide your name, address, and telephone number; identify the product that is the subject of the claim; and describe the nature of the claim and the relief being sought. If you and LG are unable to resolve the dispute within 30 days of LG's receipt of the Notice of Dispute, the dispute shall be resolved by binding arbitration in accordance with the procedure set out herein. You and LG both agree that, during the arbitration proceeding, the terms (including any amount) of any settlement offer made by either you or LG will not be disclosed to the arbitrator until the arbitrator determines the dispute.

Agreement to Binding Arbitration and Class Action Waiver. Upon failure to resolve the dispute during the 30 day period after LG's receipt of the Notice of Dispute, you and LG agree to resolve any claims between you and LG only by binding arbitration on an individual basis, unless you opt out as provided below, or you reside in a jurisdiction that prevents full application of this clause in the circumstances of the claims at issue (in which case if you are a consumer, this clause will only apply if you expressly agree to the arbitration). To the extent permitted by applicable law, any dispute between you and LG shall not be combined or consolidated with a dispute involving any other person's or entity's product or claim. More specifically, without limitation of the foregoing, except to the extent such a prohibition is not permitted at law, any dispute between you and LG shall not under any circumstances proceed as part of a class or representative action. Instead of arbitration, either party may bring an individual action in small claims court, but that small claims court action may not be brought on a class or representative basis except to the extent this prohibition is not permitted at law in your province or territory of jurisdiction as it relates to the claims at issue between you and LG. This does not apply to consumers in Ontario and Québec. In accordance with provincial legislation, the consumer and LG may agree to resolve the dispute using any procedure available, including commencing the action before the competent courts of those provinces.

**Arbitration Rules and Procedures.** To begin arbitration of a claim, either you or LG must make a written demand for arbitration. The arbitration will be private and confidential, and conducted on a simplified and expedited basis before a single arbitrator chosen by the parties under the provincial or territorial commercial arbitration law and rules of the province or territory of your residence. You must also send a copy of your written demand to LG at LG Electronics, Canada, Inc., Attn: Legal Department- Arbitration, 20 Norelco Drive, North York, Ontario M9L 2X6. This arbitration provision is governed by your applicable provincial or territorial commercial arbitration legislation. For consumers in Ontario and Québec, the applicable arbitration legislation only applies if consumers agree to submit the dispute to arbitration. Judgment may be entered on the arbitrator's award in any court of competent jurisdiction. All issues are for the arbitrator to decide, except that, issues relating to the scope and enforceability of the arbitration provision and to the arbitrability of the dispute are for the court to decide. The arbitrator is bound by the terms of this provision.

Governing Law. The law of the province or territory of your purchase shall govern this Limited Warranty and any disputes between you and LG except to the extent that such law is preempted by or inconsistent with applicable federal or provincial/territorial law. Should arbitration not be permitted for any claim, action, dispute or controversy between you and LG, you and LG attorn to the exclusive jurisdiction of the courts of the province or territory of your purchase for the resolution of the claim, action, dispute or controversy between you and LG.

Fees/Costs. You do not need to pay any fee to begin an arbitration. Upon receipt of your written demand for arbitration, LG will promptly pay all arbitration filing fees unless you seek more than \$25,000 in damages, in which case the payment of these fees will be governed by the applicable arbitration rules. Except as otherwise provided for herein, LG will pay all filing, administration and arbitrator fees for any arbitration initiated in accordance with the applicable arbitration rules and this arbitration provision. If you prevail in the arbitration, LG will pay your attorneys' fees and expenses as long as they are reasonable, by considering factors including, but not limited to, the purchase amount and claim amount. Notwithstanding the foregoing, if applicable law allows for an award of reasonable attorneys' fees and expenses, an arbitrator can award them to the same extent that a court would. If the arbitrator finds either the substance of your claim or the relief sought in the demand is frivolous or brought for an improper purpose (as measured by the applicable laws), then the payment of all arbitration fees will be governed by the applicable arbitration rules. In such a situation, you agree to reimburse LG for all monies previously disbursed by it that are otherwise your obligation to pay under the applicable arbitration rules. Except as otherwise provided for, LG waives any rights it may have to seek attorneys' fees and expenses from you if LG prevails in the arbitration.

**Hearings and Location.** If your claim is for \$25,000 or less, you may choose to have the arbitration conducted solely (1) on the basis of documents submitted to the arbitrator, (2) through a telephonic hearing, or (3) by an in-person hearing as established by the applicable arbitration rules. If your claim exceeds \$25,000, the right to a hearing will be determined by the applicable arbitration rules. Any in-person arbitration hearings will be held at the nearest, most mutually-convenient arbitration location available within the province or territory in which you reside unless you and LG both agree to another location or agree to a telephonic arbitration.

Severability and Waiver. If any portion of this Limited Warranty (including these arbitration procedures) is unenforceable, the remaining provisions will continue in full force and effect to the maximum extent permitted by applicable law. Should LG fail to enforce strict performance of any provision of this Limited Warranty (including these arbitration procedures), it does not mean that LG intends to waive or has waived any provision or part of this Limited Warranty.

**Opt Out.** The arbitration provision requires you and LG to resolve disputes by binding arbitration instead of court, unless the laws of your province or territory do not permit that, or, in other jurisdictions, if you choose to opt out. The arbitration provision does not apply to consumers in Ontario and Québec.

For individuals that fall within the binding arbitration provisions, you may opt out of this dispute resolution procedure. If you opt out, neither you nor LG can require the other to participate in an arbitration proceeding. To opt out, you must send notice to LG no later than 30 calendar days from the date of the first consumer purchaser's purchase of the product by either (i) sending an e-mail to optout@lge.com, with the subject line: "Arbitration Opt Out," or (ii) calling 1-800-980-2973. You must include in the opt out e-mail or provide by telephone: (a) your name and address; (b) the date on which the product was purchased; (c) the product model name or model number; and (d) the serial number (the serial number can be found (i) on the product; or (ii) online by accessing https://www.lg.com/ca\_en/findmodel\_serial/).

In the event that you "Opt Out", the law of the province or territory of your residence shall govern this Limited Warranty and any disputes between you and LG except to the extent that such law is preempted by or inconsistent with applicable federal or provincial/territorial law. Should arbitration not be permitted for any claim, action, dispute or controversy between you and LG, you and LG agree to attorn to the exclusive jurisdiction of the courts of the province or territory of your residence for the resolution of the claim. action, dispute or controversy between you and LG.

You may only opt out of the dispute resolution procedure in the manner described above (that is, by e-mail or telephone); no other form of notice will be effective to opt out of this dispute resolution procedure. Opting out of this dispute resolution procedure will not affect the coverage of the Limited Warranty in any way, and you will continue to enjoy the full benefits of the Limited Warranty. If you keep this product and do not opt out, then you accept all terms and conditions of the arbitration provision described above.

Conflict of Terms. In the event of a conflict or inconsistency between the terms of this Limited Warranty and the End User License Agreement ("EULA") in regards to dispute resolution, the terms of this Limited Warranty shall control and govern the rights and obligations of the parties and shall take precedence over the EULA.



The model and serial number of the product are located on the back and on one side of the product.

Record them below in case you ever need service.

Model

Serial No.

Supplier's Declaration of Conformity

Trade Name LG

Responsible Party LG Electronics USA, Inc.

Address 111 Sylvan Avenue, North

Building, Englewood Cliffs,

NJ 07632

E-mail lg.environmental@lge.com