

[Search](#)[nordichifi.com/](#)[English](#)[Home](#) / [Phono Preamps - RIAA](#) / [Argon Audio PHONO1](#) / [Manual: Argon Audio PHONO1](#)

Manual: Argon Audio PHONO1

Last updated on October 28, 2024 at 2:44 PM

1. Overview



Left to right

GND

Ground screw for connecting the ground cable to the turntable (some turntables don't use a separate ground wire).

Input Left/Right

RCA inputs for connecting the turntable.



This RIAA is suitable for **Moving Magnet** pickups.

Output Left/Right

RCA output for an analogue input in your stereo/audio system.

Note: The most typical analogue inputs are RCA, but sometimes it can be a Minijack Connector as well. In that case, you'll need an RCA-to-Minijack cable. [Essentials Minijack - RCA](#)

Rarely is a DIN connector used. In that case, you'll need a DIN to RCA adapter/cable.

Power Input

Input connector for the provided power supply (12v 200mA).

2. Setup and Connecting the Phono1

The Argon Audio Phono1 is an RIAA/Phono stage for MM/moving magnet pickups.

1. Connect the turntable to the Phono1 via RCA, as well as the ground wire (if the turntable has one).
2. Connect the output of the Phono1 via RCA to an analogue input on your stereo/sound system.
3. Connect the Phono1 to power using the provided power supply.

Note: When the Phono1 is connected to power, it is turned on automatically. You cannot and don't need to, turn it on/off manually (its power consumption is 0.4 watts).

3. Specifications

| | |
|--------------------|---------------|
| Pickup type | MM |
| Gain | 40 dB |
| Impedance | 47k ohm |
| Power consumption | 0,4 Watt |
| Dimensions (WxHxD) | 10 x 3 x 6 cm |
| Weight | 291 g |



4. Color



Black

Was this article helpful?



Argon Audio PHONO1

Manual: Argon Audio PHONO1

Related Articles

Manual: Argon Audio FENRIS

Manual: Argon Audio FORTE MK2

Manual: Argon Audio SA1

Manual: Argon Audio BT2 MK2

Manual: Argon Audio SA1 MK2